



Truro Board of Health

MEETING AGENDA

Tuesday June 4, 2019

Truro Town Hall, 24 Town Hall Road

Meeting Start Time: 4:30PM

AMENDED

I. PUBLIC COMMENTS

Please note that the Commonwealth's Open Meeting Law limits any discussion by members of the Board of an issue raised to whether that issue should be placed on a future agenda

II. PUBLIC HEARING

1. **271 Shore Road:** Mylan Janopolis; Variance request to Board of Health Regulations, Section VI, Article 10 "Required Setbacks for System Components"
2. **6 Ryder Beach Way:** Variance Request to 310 CMR Section 15.211 "Minimum Setback Distances" and Board of Health Regulations Section VI Article 10 "Required Setbacks for System Components"
3. **7 & 3A Marshall Ln, Miller:** *(Continued from 5/7/2019)*
 - a. *Variance Request to Board of Health Regulations, Section VI, Article 10 "Setbacks", Article 8 "Regulation of Separate Site Systems", & Section VII, Article 1(2)(a) "Pamet River Protection District"*
 - b. *Request for waiver of time pursuant to Real Estate Transfer*
4. **417 Shore Rd, Chisholm:** Variance Request to Board of Health Regulations, Section VI Article 10 "Setbacks" & Article 14 "Nitrogen Loading Limitations" *(Continued from 5/7/2019)*
5. **449 Shore Rd-** Variance Request from Truro BOH Regulations Section VI, Article 10 "Required Setbacks for System Components" *(continued from 4/2/2019)*
6. **9 Highland Ave:** Variance Request from 310 CRM 15.223 Septic Tanks (1)(b). *(Continued from 1/8/2019)*

III. AGENDA ITEMS

1. **Farmer's Market**
 - a. Shrub Life
 - b. Salt Seafood Company
 - c. T&J Lobstering
 - d. The Big Squeeze Food Truck
2. **Puck Markham, Camp Lightbulb, 111 North Pamet Rd:** Application for a License to Conduct a Recreational Camp for Children
3. **Truro Transfer Station – Request by DPW Director Jarrod Cabral:** change validity time frame for annual permit to "valid from date of purchase"

IV. REPORTS

- DPW Director's Report
- Health Agent's Report
- Report of the Chair

IV. MINUTES

- May 7, 2019, May 21, 2019

